

| номер материала | DIN EN - D | AFNOR - F | BS - UK | JIS |
|-----------------|---|-------------------------------|------------------|------------|
| 1.1178 | C 30 E | | 2 C 30, XC 32 | S 30 C |
| 1.1181 | C 35 E | 2 C 35, XC 38 H 1 | 080 M 36 | S 35 C |
| 1.1183 | Cf 35 | XC 42 TS | 080 A 35 | S 35 C |
| 1.1186 | C 40 E | 2 C 40, XC42 H 1 | 2 C 40, 080 M 40 | S 40 C |
| 1.1191 | C 45 E | XC 48 H 1, 2 C 45 | 2 C 45, 080 M 46 | S 45 C |
| 1.1193 | Cf 45 | XC 42 TS | 060 A 47 | S 45 C |
| 1.1203 | C 55 E | 2 C 55, XC 55 H 1 | 2 C 55, 070 M 55 | S 55 C |
| 1.1206 | C 50 E | 2 C 50 | 2 C 50, 080 M 50 | S 50 C |
| 1.1213 | Cf 53 | 42 M 4 TS | 060 A 57 | S 50 C |
| 1.1221 | C 60 E | 2 C 60 | 2 C 60, 060 A 62 | S 58 C |
| 1.2241 | 51 CrV 4 | 50 CV 4 | 735 A 51 | SUP 10 |
| 1.2369 | 81 MoCrV 42-16 | | | |
| 1.3505 | 100 Cr 6 | 100 C 6 | 535 A 99 | SUJ 2 |
| 1.3520 | 100 CrMn 6 | — | 535 A 99 | SUJ 3 |
| 1.3533 | 17 NiCrMo 14 | 16 NCD 13 | — | |
| 1.3536 | 100 CrMo 7-3 | | — | |
| 1.3537 | 100 CrMo 7 | 100 CD 7 | — | SUJ 4 |
| 1.3541 | X 45 Cr 13 | — | — | |
| 1.3543 | X 102 CrMo 17 | Z 100 CD 17 | — | SUS440 C |
| 1.3551 | 80 MoCrV 42-16 | 80 DCV 40 | — | |
| 1.3553 | X 82 WMoCrV 6-5-4 | Z 85 WDCV 6 | BM 2 | SKH 51 |
| 1.3558 | X 75 WCrV 18-4-1 | — | BT 1 | SKH 2 |
| 1.4000 | X 6 Cr 13 | Z 6 C 13 | 403 S 17 | SUS 410 S |
| 1.4002 | X 6 CrAl 13 | Z6 CA 13 | 405 S 17 | SUS 405 |
| 1.4005 | X 12 CrS 13 | Z12 CF 13 | 416 S 21 | SUS 416 |
| 1.4006 | X 12 Cr 13 (X 10 Cr 13) | Z 10 C 13, Z 12 C 13 | 410 S 21 | SUS 410 |
| 1.4007 | X 35 Cr 14 | | | SUS 420 |
| 1.4016 | X 6 Cr 17 | Z 8 C 17 | 430 S 17 | SUS 430 |
| 1.4021 | X 20 Cr 13 | Z 20 C 13 | 420 S 37 | SUS 420 |
| 1.4024 | X 15 Cr 13 | — | 403 S 17 | |
| 1.4028 | X 30 Cr 13 | Z 30 C 13, Z 33 C 13 | 420 S 45 | SUS 420 |
| 1.4034 | X 46 Cr 13 | Z 40 C 14 | 420 S 45 | SUS 420 |
| 1.4057 | X 20 CrNi 17-2 | Z 15 CN 16-02 | 431 S 29 | SUS 431 |
| 1.4104 | X 12 CrMoS 17 | Z 10 CF 17 | 441 S 29 | SUS 430 F |
| 1.411 | X 90 CrMoV 1 | — | — | SUS 440 B |
| 1.4113 | X 6 CrMo 17-1 | Z 8 CD 17-01 | 434 S 17 | SUS 434 |
| 1.4125 | X 105 CrMo 17 | Z100 CD 17 | — | SUS 440 C |
| 1.4301 | X 5 CrNi 18-10 (X 4 CrNi 18-10) | Z 6 CN 18-09 | 304 S 16 | SUS 304 |
| 1.4303 | X 5 CrNi 18-12 (X 4 CrNi 18-12) | Z 8 CN 18-12 | 305 S 19 | |
| 1.4305 | X 10 CrNiS 18-9 | Z 10 CNF 18-09 | 303 S 21 | SUS 303 |
| 1.4306 | X 2 CrNi 19-11 | Z 2 CN 18-10 | 304 S 11 | SUS 304 L |
| 1.4307 | X 2 CrNi 18-9 | Z 3 CN 18-10 | 304S11 | SUS 304 L |
| 1.4310 | X 12 CrNi 17-7 | Z 11 CN 18-08 | 301 S 21 | SUS 301 |
| 1.4311 | X 2 CrNiN 18-10 | Z 3 CN 18-10 Az | 304 S 61 | SUS 304 LN |
| 1.4362 | X 2 CrNiN 23-4 | Z 3 CN 23-04 Az | — | |
| 1.4372 | X 12 CrMnNiN 17-7-5 | Z 12 CMN 17-07 Az | — | |
| 1.4401 | X 5 CrNiMo 17-12-2 (X 4 CrNiMo 17-12-2) | Z 6 CND 17-11 | 316 S 31 | SUS 316 |
| 1.4404 | X 2 CrNiMo 17-13-2 (X 2 CrNiMo 17-12-2) | Z 2 CND 17-12 | 316 S 11 | SUS 316 L |
| 1.4406 | X 2 CrNiMoN 17-11-2 (X 2 CrNiMoN 17-11-2) | Z 2 CND 17-11 Az | 316 S 62 | SUS 316 LN |
| 1.4410 | X 2 CrNiMoN 25-7-4 | Z 3 CND 25-06 Az | — | |
| 1.4418 | X 4 CrNiMo 16-5 | Z 6 CND 16 05 1 | — | |
| 1.4429 | X 2 CrNiMoN 17-13-3 | Z 2 CND 17-13 Az | — | SUS 316 LN |
| 1.4432 | X 2 CrNiMo 17-12-3 | Z 3 CND 17-12-03 | 316 S 13 | SUS 316 L |
| 1.4434 | X 2 CrNiMoN 17-12-3 | Z 3 CND 19-14 Az | — | SUS 317 LN |
| 1.4435 | X 2 CrNiMo 18-14-3 | Z 2 CND 17-13 | 316 S 13 | SUS 316 L |
| 1.4436 | X 5 CrNiMo 17-13-3 (X 4 CrNiMo 17-13-3) | Z 6 CND 17-12 | 316 S 33 | SUS 316 |
| 1.4438 | X 2 CrNiMo 18-16-4 (X 2 CrNiMo 18-15-4) | Z 2 CND 19-15 | 317 S 12 | SUS 317 L |
| 1.4439 | X 2 CrNiMoN 17-13-5 | Z 3 CND 18-14-05 Az | — | |
| 1.4441 | X 2 CrNiMo 18-15-3 | Z 3 CND 18-14-13 | 316 S 13 | |
| 1.4460 | X 4 CrNiMoN 27-5-2 (X 3 CrNiMoN 27-5-2) | 25 CND 27-05 A2 | — | SUS 329 |
| 1.4462 | X 2 CrNiMoN 22-5-3 | Z2 CND 22-05 Az | — | |
| 1.4466 | X 1 CrNiMoN 25-22-2 (X 2 CrNiMoN 25-22-2) | | | |
| 1.4504 | [X 8 CrNiAl 17-7] | Z 8 CNA 17-07 | 316 S 111 | 17-7 PH |
| 1.4510 | X 6 CrTi 17 (X 3 CrTi 17) | Z 8 CT 17 | — | |
| 1.4512 | X 6 CrTi 12 (X 2 CrTi 12) | Z 3 CT 12 | 409 S 19 | SUH 409 |
| 1.4532 | X 7 CrNiMoAl 15-7 (X 8 CrNiMoAl 15-7-2) | Z 8 CNDA 15-7 | — | |
| 1.4539 | X 1 NiCrMoCu(N) 25-20-5 | Z 1 NCDU 25-20 | 904 S 13 | |
| 1.4540 | X 4 CrNiCuNb 16-4 | Z 6 CNU 17-04 | — | SUS 630 |
| 1.4541 | X 6 CrNiTi 18-10 | Z 6 CNT 18-10 | 321 S 12 | SUS 321 |
| 1.4542 | X 5 CrNiCuNb 17-4 | Z 6 CNU 17-04, Z 7 CNNb 17-07 | — | SUS 630 |